


EXR Type

CANTILEVERED ADJUSTABLE AIRSHAFT WITH EXPANDING BARS OR LEAVES



Made to measure, our shafts allow a good adequacy between our product and your needs.

Our technicians privilege the constraints such as torque, load and speed in order to better meet your requirements: web material and thickness, web tension, maximum web speed, max. and min. roll weights and widths, roll outer diameter (o.d.), core inner diameter (i.d.), bearing centres, etc.

Benefits:

- Lightweight construction and excellent price/quality ratio solution
- Longer expansion area for multi-slits rewinding or offset roll winding
- Able to handle one or more varying-width reels
- Lateral roll positioning compared to the frame while operating
- Many solutions for fixed or rotating shafts
- Appropriate for paper, plastic or steel cores

Features:

- Made-to-measure design for core diameters of 70,76, 120, 150 and 152 mm
- Body construction with extruded anodised aluminium section for EXR
- Equipped with pre-centering bars reducing slack between shaft and core for EXR
- Plastic or aluminium expanding bars, smooth or grooved aluminium leaves
- Rotating union in option for constant air-supply

Option:

- Mounted with safety chuck
- Possibility to mount a brake directly on shaft or safety chuck

www.airmat.com

France
AIRMAT Technology
Rue de l'Abbé Jerzy Popiélusko
BP 219
F 62304 LENS Cedex
T. +33 (0)3 21 79 31 20
airmat@airmat.com

Deutschland
AIRMAT Wickeltechnik
Sundheimer Feld, 2
Postfach 2045
D 77694 KEHL/RHEIN
T. +49 (0)7851 89 886-0
info@airmat.de

Polska
AIRMAT Polska
Ul. Beskidzka 5
PL 32-590 LIBIAZ
T. +48 32 627 39 25
biuro@semecapolska.eu